




Projection for your everyday needs.



DELL PROJECTOR - P318S



See more

The large 252" (640 cm) projection size makes it easy to read your content, even from the back of the room.



Long-lasting lamp

Dependable, long lamp lifecycle of up to 5,000 hours in normal mode and 6,000 hours in eco mode.



High brightness

Deliver crisp and vibrant presentations in a variety of lighting conditions with 3200 lumens and DLP® technology.



Reliable support

Backed by best-in-class support with the 2-Year Advanced Exchange² Warranty, extendable up to 5 years.

Projection for your everyday needs.

DELL PROJECTOR - P318S

ILLUMINATE YOUR WORK

Handle the demands of everyday use with high brightness and versatile connectivity, including wireless options.

- **Make your ideas shine:** 3200 lumens and a large projection size ensure your work is seen.
- **Intelligently designed:** From the optional wireless connectivity to the convenient connection options, all of your bases are covered.
- **Strong and secure:** Let your projector shine with protection and support.

MAKE YOUR IDEAS SHINE

From the conference room to the classroom, the P318S is up to the task.

- **Bright projection:** Deliver crisp and vibrant presentations in a variety of lighting conditions with 3200 lumens and DLP® technology.
- **Decipher details:** The large 252" (640 cm) projection size makes it easy to read your content, even from the back of the room.
- **Move freely:** Stop during any point of your presentation, even live video, with the Freeze button. Blank out the screen as you manage your content or refocus the discussion with the Blank Screen button.

INTELLIGENTLY DESIGNED

With optional wireless, multiple connectivity options and long lamp life, you are ready for your next presentation.

Convenient, optional wireless connectivity:

Using wireless display adapters, such as the Microsoft Wireless Display Adapter, the P318S can provide a wireless display from your Dell Windows laptop or Android device for a smooth, untethered presentation.

Multiple connection options. More possibilities:

Plug in exactly what you need with useful HDMI and VGA ports. Plus with the VGA In and VGA Out you can present from multiple projectors simultaneously.

Long-lasting performance: Experience dependable, cost-effective projection from a long lamp lifecycle of up to 5000 hours in normal mode and 6000 hours in eco mode.

RELIABLE AND SECURE

Reliable warranty¹ options and impressive security features make the P318S an ideal choice for small businesses and classrooms.

- **Reliable support:** Your P318S is backed by best-in-class support with the 2-Year Advanced Exchange² Warranty.
- **More to your warranty:** If you want more coverage, you've got it. Extend your warranty¹ by up to five years with the optional extension.
- **Project and protect:** The integrated Kensington security port and password protection functionality help keep your P318S secure against theft and unauthorized access.




FOR MORE INFORMATION, VISIT DELL.COM

Features & Technical Specifications




DELL PROJECTOR - P318S

Feature	Technical Specification	Feature	Technical Specification
Projection System	Single Chip DLP LVDS	Dimensions & Weight	
Lamp Type / Light Source	Philips 195W user-replaceable	Dimensions (excluding feet) (WxDxH)	314.4mm x 223.5mm x 87.6mm (12.38" x 8.8" x 3.45")
Native Resolution	SVGA (800 x 600)	Weight	5.4 lbs (2.4 kg)
Screen Size - Diagonal	27.5" ~ 252.4"	Power Supply	Universal AC 100-240 V 50-60 Hz with PFC
Contrast Ratio Typical (Full on/Full off)	2,200:1	Power Consumption	
High Contrast Mode	10,000:1	Normal Mode	245W ± 10% @ 110Vac
Brightness (ANSI Lumens Max.)	3200	Eco-Mode	200W ± 10% @ 110Vac
Colors	1.07 billion	Standby Mode	≤0.5W
Lens F-Stop	F/2.41~2.55	Network Mode	
Focal Length	f = 21.8~24mm	Mounting Options	Front/Rear/Ceiling/Tabletop
Lens Offset	115 ±5%	Noise	
Throw Ratio	1.95 (wide) - 2.15 (tele)	Typical (Normal Mode)	34 dB(A)
Lamp Hours (Light Source Life)	Up to 5K (Nor) Up to 6K (Eco)	Typical (Eco Mode)	31 dB(A)
Keystone Adjustment	Manual Vertical (±40°)	Quick Shutdown	Yes
Audio (Built-in Multimedia Speaker)	1x 2W	Aspect Ratio	4:3
3D-Capable	Yes	User-Replaceable Lamp	Top-loading
Tilt	Front tilt adjustment wheel (-5°~ 5°)	Projection Distance	1.2m ~ 10.0m (3.94 ft ~ 32.81 ft)
Projector Security	Kensington lock slot Password protection	Hsync Frequency	15K-100KHz
Interfaces		Vsync Frequency	50-85Hz
Power	1x AC Power	Whats in the box	Dell Projector P318S, projector lamp, Power cord (DAO - 9.8ft, RoW - 1.8m), VGA cable (1.8m / 5.9ft), Remote control, 2x AAA batteries for remote control, Documentation
HDMI	1x HDMI 1.4a		
Audio In (3.5mm)	1x Audio-In (3.5mm)		
Audio-Out (3.5mm)	1x Audio-Out (3.5mm)		
VGA In	1x D-Sub VGA-In		
VGA-Out	1x D-Sub VGA-Out		
Composite Video	1x Composite Video RCA		
Powered USB	1x Powered USB-A (5V/1.5A)		



Projection for your everyday needs.



DELL PROJECTOR - P318S

1. For a copy of our guarantees or limited warranties, please write Dell USA L.P., Attention Warranties, One Dell Way, Round Rock, TX 78682. For more information, visit Dell.com/Warranties.
2. Replacement part or unit will be dispatched if necessary following phone-based troubleshooting in advance of receipt of returned defective unit. Subject to parts availability, geographical restrictions and terms of service contract. Service timing dependent upon time of day call placed to Dell. Defective unit must be returned. Replacements may be refurbished. U.S. only.