

Epson EB-955WH (V11H683041)

EB-955WH, Projectors, Mobile/Nogaming, WXGA, 1280 x 800, 16:10, 3,200 lumen-2,240 lumen (economy), In accordance with ISO 21118:2012, 10,000 : 1, HDMI in (2x), USB 2.0 Type B, Ethernet interface (100 Base-TX / 10 Base-T), Component in (2x), Wireless LAN IEEE 802.11b/g/n (optional), Microphone input, RGB in (2x), VGA out, USB 2.0 Type A, Stereo mini jack audio in (2x), Composite in, RS-232C, MHL, S-Video in, VGA in (2x), Stereo mini jack audio out, 2.9 kg, 16 W, Carrying bag, Computer cable, Main unit, Power cable, Remote control incl. batteries, 3 Years OSS



Ideal for use in meeting rooms, classrooms and home offices, the EB-965WH can display presentations with bright images and vibrant colors thanks to 3LCD technology. It also has a range of flexible installation options and connectivity features.

The EB-965WH uses 3LCD technology and an equally high white and color light output to deliver exceptional image quality and accurate colors. A 10,000:1 contrast ratio produces clearer image detail.

Epson understands that being in control is important when presenting in a corporate or education environment. The moderator function allows the host, whether it is the teacher, lecturer or leader of the meeting, to take control of displayed content from the devices.

Set up is easy and flexible with horizontal and vertical keystone correction, helping you achieve a perfectly shaped image without distortion. This means projectors can be quickly moved and set up in different classrooms and meeting rooms.

This projector has enhanced connectivity, giving choice and flexibility however you intend to present. The EB-965WH can connect to the digital devices or legacy analog products and older hardware doesn't necessarily need to be replaced. Connecting smart devices couldn't be easier with the iProjection QR code connectivity - simply scan a projected QR code using your smart device to connect and start working.

This portable projector comes with a carry bag included to make for easy transport and storage of the projector when not in use.

Key Selling Points

- Portable
- High-quality, bright image
- Enhanced connectivity and networking
- Flexible installation
- Low total cost of ownership (TCO)

Product Features

- Portable
The projector is small and light enough to be carried and used across several rooms.
- High-quality, bright image
3LCD technology and equally high 3,500lm white and color light output.
- Flexible installation
Horizontal and vertical keystone correction and optical zoom for flexible placement.
- Low total cost of ownership (TCO)
Long lamp life; A/V mute function pauses presentation and conserves power by 70%.

Main Specifications

Product Description	Epson EB 955WH LCD projector
Device Type	LCD projector - High Definition 720p
Built-in Devices	Speaker, 0.59-inch TFT LCD
Brightness (White)	3200 lumens
Brightness (Colour)	3200 lumens
Contrast Ratio	10000:1 (dynamic)
Resolution	WXGA (1280 x 800)
Native Aspect Ratio	16:10
Bulb type	215 Watt

Bulb life cycle	Up to 5000 hour(s) / up to 10000 hour(s) (economic mode)
Video Input	RGB, S-Video, composite video LAN
Speakers	Speaker(s) - integrated
Power	AC 120/ 230 V (50/ 60 Hz)
Power Consumption Operational	287 Watt
Dimensions (WxDxH)	29.7 cm x 26.9 cm x 8.7 cm
Weight	2.9 kg
Manufacturer Warranty	3 years warranty

Extended Specification

General

Device Type	LCD projector - HD 720p
Built-in Devices	Speaker,0.59-inch TFT LCD
Networking	Ethernet

Projector

Brightness (White)	3200 lumens
Brightness (Colour)	3200 lumens
Brightness (Reduced)	2240 lumens
Contrast Ratio	10000:1 (dynamic)
Image Size	83 cm - 711 cm
Projection Distance	1.79 m - 2.92 m
Throw Ratio	1.38 - 2.24:1
Resolution	WXGA - WXGA (1280 x 800)
Native Aspect Ratio	16:10
Bulb type	215 Watt
Bulb life cycle	Up to 5000 hour(s) / up to 10000 hour(s) (economic mode)
Features	sRGB colour profile,Blackboard Mode,Auto Vertical Keystone,EPSON 3LCD technology,Whiteboard Mode,Direct Power On,Direct Power Off,Dynamic Mode

Lens

Focus Type	Manual
Lens Aperture	F/1.51-1.99
Zoom Type	Manual
Zoom Factor	1.6x
Keystone Correction Direction	Horizontal,vertical
Vertical Keystone Correction	-30 / +30
Horizontal Keystone Correction	-30 / +30

Video Input

Analogue video Signal	RGB,S-Video,composite video
Video Interfaces	VGA,HDMI,composite video,S-Video,MHL
LAN and Wireless Image Transferring Protocols	Wired LAN

Speakers

Type	Integrated
Sound Output Mode	Mono
Output Power / Channel	16 Watt
Speaker(s)	1 x mixed channel

Expansion / Connectivity

Interfaces	2 x component video / RGB input - 15 pin HD D-Sub (HD-15) 2 x HDMI input - 19 pin HDMI Type A 1 x USB 2.0 - 4 PIN USB Type B 1 x USB 2.0 - 4 PIN USB Type A 1 x composite video input - RCA 1 x S-video input - 4 PIN mini-DIN 1 x audio line-out - mini-phone stereo 3.5 mm 1 x VGA output - 15 pin HD D-Sub (HD-15) 2 x audio line-in - mini-phone stereo 3.5 mm 1 x serial RS-232C 1 x network - RJ-45 1 x audio line-in - RCA x 2 1 x microphone
------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Miscellaneous

Included Accessories	Carrying case,remote control
----------------------	------------------------------

Power

Power Source	AC
Nominal Voltage	AC 120/230 V (50/60 Hz)
Power Consumption Operational	287 Watt
Power Consumption Stand by	0.26 Watt

Software / System Requirements

Software Included	EasyMP Network Projection,EasyMP Monitor,EasyMP Multi PC Projection
-------------------	---------------------------------------------------------------------

Dimensions & Weight

Width	29.7 cm
Depth	26.9 cm
Height	8.7 cm
Weight	2.9 kg

Manufacturer Warranty

Service & Support	3 years warranty
Service & Support Details	Limited warranty - 3 years Limited warranty - lamp - 1 year / 1000 hours

Environmental Parameters

Min Operating Temperature	5 °C
Max Operating Temperature	35 °C
Humidity Range Operating	20 - 80%
Sound Emission	37 dBA
Sound Emission (Economic Mode)	29 dBA

■ What's in the box

Epson EB 955WH
Carrying case,remote control

Product data is provided by CNET, we do not warrant the accuracy and completeness of the material contained in this data sheet